




PARAS[®]

A Legacy of Trust and Quality

Complete Solution of

- ▀ *Plumbing System*
 - ▀ *Drainage System*
 - ▀ *Water Management*
- Under One Roof*



About **PARAS GROUP**

A dynamic, professional & progressive group established in 1968 & having a legacy of more than 56 years. The group believes in empowering & delegating to scale new heights. It has a presence throughout India with a strong, dedicated & loyal chain of distributors & dealers. It is managed by a team rich with 3 generations - experienced as well as flexible & open to modern technology & management skills.

We believe in offering solutions under one roof with continued focus on customer & proactive initiatives. We believe in long term healthy & mutually beneficial association with all business associates and a open, transparent & conducive working environment for all.

Expansion, Diversification, Upgradation is an ongoing process focused at optimum utilisation of resources, generating & conserving power and striving to be the first choice to the customers.



56 Years of Legacy



9 Plants with 21 Lacs + Sq. feets production area



1000+ Employees



500+ Distributors



35000+ Retailers



1900+ Product Range



PAN INDIA Presence



10+ Countries Export



INDEX

SR.NO.	CONTENTS	PAGE NO.
1.	CPVC PIPES & FITTINGS	04
2.	uPVC SUPER-FLOW PIPES & FITTINGS	09
3.	SWR DRAINAGE SYSTEM - SUPERFIT & SELFIT	14
4.	SWR DRAINAGE SYSTEM - PARAS AQUA	20
5.	ECO DRAIN UNDERGROUND DRAINAGE SYSTEM	21
6.	uPVC AGRICULTURE PIPES & FITTINGS	24
7.	WATER STORAGE TANKS	31
8.	COLUMN PIPES	32
9.	RAIN FLOW ROOF RAIN WATER HARVESTING SYSTEM	33
10.	SOFT GARDEN TUBING PIPES & SUCTION PIPES	34
11.	PVC BRAIDED PIPES & AIR PNEUMATIC PIPES	35
12.	HDPE PIPES	36
13.	CONDUIT PIPES & FITTINGS	37
14.	P.T.M.T. BATH FITTINGS	38

PARAS®

CPVC PLUMBING SYSTEM

RIGHT CHOICE FOR

**HOT &
COLD**

WATER PLUMBING
SYSTEM

Higher
Temperature
Resistance
up to 95°C



A specialized chemistry brass insert is used to enhance the life of thread and fitting.



PIPES
IS-15778

CML-3700649
(For CPVC Pipe
SDR 11 & SDR 13.5
15-50mm)

FITTINGS
IS-17546

CML-7500252914
(For CPVC
Fitting SDR11
15-50mm)

CPVC Pipe in SDR-11 & SDR-13.5 Conform to IS 15778

PIPES HSN CODE - 39172390

 PIPE SDR-11 (3 METRE LENGTH)		
Size (Inch)	Size (mm)	Std. Pkg.
1/2	15	50
3/4	20	50
1	25	25
1 1/4	32	20
1 1/2	40	10
2	50	10

 PIPE SDR-13.5 (3 METRE LENGTH)		
Size (Inch)	Size (mm)	Std. Pkg.
1/2	15	50
3/4	20	50
1	25	25
1 1/4	32	20
1 1/2	40	10
2	50	10

 PIPE SDR-11 (5 METRE LENGTH)		
Size (Inch)	Size (mm)	Std. Pkg.
1/2	15	50
3/4	20	50
1	25	25
1 1/4	32	20
1 1/2	40	10
2	50	10

 PIPE SDR-13.5 (5 METRE LENGTH)		
Size (Inch)	Size (mm)	Std. Pkg.
1/2	15	50
3/4	20	50
1	25	25
1 1/4	32	20
1 1/2	40	10
2	50	10

CPVC Pipe in Sch 40 & 80 as per ASTM F 441

 PIPE SCH. 40 (3 METRE LENGTH)		
Size (Inch)	Size (mm)	Std. Pkg.
2 1/2	65	5
3	80	3
4	100	2

 PIPE SCH. 80 (3 METRE LENGTH)		
Size (Inch)	Size (mm)	Std. Pkg.
2 1/2	65	5
3	80	3
4	100	2

 PIPE SCH. 40 (5 METRE LENGTH)		
Size (Inch)	Size (mm)	Std. Pkg.
2 1/2	65	5
3	80	3
4	100	2

 PIPE SCH. 80 (5 METRE LENGTH)		
Size (Inch)	Size (mm)	Std. Pkg.
2 1/2	65	5
3	80	3
4	100	2

CPVC Fitting IS 17546 & Sch. 80 as per ASTM D 2846 / ASTM F 439

FITTINGS HSN CODE - 39174000

 CROSS TEE		
Size (Inch)	Size (mm)	Std. Pkg.
1/2	15	150
3/4	20	75
1	25	75

 NON RETURN VALVE		
Size (Inch)	Size (mm)	Std. Pkg.
3/4	20	25
1	25	24

 ELBOW 90°		
Size (Inch)	Size (mm)	Std. Pkg.
1/2	15	300
3/4	20	300
1	25	125
1 1/4	32	75
1 1/2	40	40
2	50	20
2 1/2	65	10
3	80	6
4	100	4

 TEE		
Size (Inch)	Size (mm)	Std. Pkg.
1/2	15	250
3/4	20	200
1	25	100
1 1/4	32	50
1 1/2	40	30
2	50	15
2 1/2	65	6
3	80	4
4	100	2

 COUPLER		
Size (Inch)	Size (mm)	Std. Pkg.
1/2	15	400
3/4	20	400
1	25	200
1 1/4	32	125
1 1/2	40	100
2	50	36
2 1/2	65	18
3	80	12
4	100	8

 ELBOW 45°		
Size (Inch)	Size (mm)	Std. Pkg.
1/2	15	350
3/4	20	200
1	25	175
1 1/4	32	50
1 1/2	40	50
2	50	24
2 1/2	65	10
3	80	06



 MTA PLASTIC THREADED		
Size (Inch)	Size (mm)	Std. Pkg.
SDR - 11	1/2	15
	3/4	20
	1	25
	1 1/4	32
	1 1/2	40
SCH. - 80	2	50
	2 1/2	65
	3	80
SCH. - 11	4	100
	8	
REDUCING MTA PLASTIC THREADED		
SDR-11	3/4 x 1/2	20X15
	1 x 1/2	25X15

 FTA PLASTIC THREADED		
Size (Inch)	Size (mm)	Std. Pkg.
SDR - 11	1/2	15
	3/4	20
	1	25
	1 1/4	32
	1 1/2	40
SCH. - 80	2	50
	2 1/2	65
	3	80
SCH. - 11	4	100
	8	
REDUCING FTA PLASTIC THREADED		
SDR-11	3/4 x 1/2	20X15
	1 x 1/2	25X15

 UNION		
Size (Inch)	Size (mm)	Std. Pkg.
SDR - 11	1/2	15
	3/4	20
	1	25
	1 1/4	32
	1 1/2	40
SCH. - 80	2	50
	2 1/2	65
	3	80

 TRANSITION BUSH		
Size (Inch)	Size (mm)	Std. Pkg.
SDR - 11	1/2	15
	3/4	20
	1	25
	1 1/4	32
	1 1/2	40
SCH. - 80	2	50
	2 1/2	65

 TANK CONNECTOR (THxTH)		
Size (Inch)	Size (mm)	Std. Pkg.
SDR - 11	1/2	15
	3/4	20
	1	25
	1 1/4	32
	1 1/2	40
SCH. - 80	2	50

 TANK CONNECTOR SOCKET TYPE (THxST)		
Size (Inch)	Size (mm)	Std. Pkg.
SDR - 11	3/4	20
	1	25
	1 1/4	32
	1 1/2	40
	2	50

 TANK CONNECTOR LONG (THxSPG)		
Size (Inch)	Size (mm)	Std. Pkg.
SDR - 80	2 1/2	65
	3	80
	4	100

 END CAP		
Size (Inch)	Size (mm)	Std. Pkg.
SDR - 11	1/2	15
	3/4	20
	1	25
	1 1/4	32
	1 1/2	40
SCH. - 80	2	50
	2 1/2	65
	3	80
	4	100

 BEND FABRICATED (SOCKET TYPE)		
Size (Inch)	Size (mm)	Std. Pkg.
SDR - 11	1/2	15
	3/4	20
	1	25
	1 1/4	32
	1 1/2	40
SCH. - 80	2	50

 STEP OVER BEND		
Size (Inch)	Size (mm)	Std. Pkg.
SDR-11	3/4	20
	1	25
SDR - 11 (FAB.)	1 1/2	15
	1	25
	1 1/4	32
	1 1/2	40
SCH. - 80	2	50

 PIPE CLIP PLASTIC		
Size (Inch)	Size (mm)	Std. Pkg.
SDR - 11	3/4	20
	1	25
	1 1/4	32
	1 1/2	40
	2	50
PIPE CLIP METAL		
1/2	15	200

 CIRCUIT TESTING PLUG		
Size (Inch)	Size (mm)	Std. Pkg.
SDR - 11	1/2	15

 ELBOW HOLDER		
Size (Inch)	Size (mm)	Std. Pkg.
SDR - 11	3/4 x 1/2	20x15

 FLANGE SOCKET TYPE (WITH GASKET)		
Size (Inch)	Size (mm)	Std. Pkg.
SDR - 11	1	25
	1 1/2	40
	2	50
SCH. - 80	2 1/2	65
	3	80
	4	100

 REDUCING ELBOW		
Size (Inch)	Size (mm)	Std. Pkg.
SDR - 11	1 x 3/4	25x20

 REDUCING BUSH		
Size (Inch)	Size (mm)	Std. Pkg.
SDR - 11	3/4 x 1/2	20x15
	1 x 1/2	25x15
	1 x 3/4	25x20
	1 1/4 x 1/2	32x15
	1 1/4 x 3/4	32x20
	1 1/4 x 1	32x25
	1 1/2 x 1/2	40x15
	1 1/2 x 3/4	40x20
	1 1/2 x 1	40x25
	1 1/2 x 1 1/4	40x32
	2 x 1/2	50x15
	2 x 3/4	50x20
	2 x 1	50x25
	2 x 1 1/4	50x32
	2 x 1 1/2	50x40
	2 1/2 x 2	65x50
	3 x 2	80x50
	3 x 2 1/2	80x65
SCH - 80	4 x 2	100x50
	4 x 2 1/2	100x65
	4 x 3	100x80

 BRASS FTA		
Size (Inch)	Size (mm)	Std. Pkg.
SDR - 11	1/2	15
	3/4	20
	1	25
	1 1/4	32
	1 1/2	40
	2	50
SCH - 80	2 1/2	65
	3	80

 REDUCING BRASS FTA		
Size (Inch)	Size (mm)	Std. Pkg.
SDR - 11	3/4 x 1/2	20x15
	1 x 1/2	25x15
	1 x 3/4	25x20

 BRASS TEE		
Size (Inch)	Size (mm)	Std. Pkg.
SDR - 11	1/2 x 1/2 x 1/2	15x15x15
	3/4 x 3/4 x 3/4	20x20x20
	1 x 1 x 1	25x25x25

 REDUCER		
Size (Inch)	Size (mm)	Std. Pkg.
SDR - 11	3/4 x 1/2	20x15
	1 x 1/2	25x15
	1 x 3/4	25x20
	1 1/4 x 1/2	32x15
	1 1/4 x 3/4	32x20
	1 1/4 x 1	32x25
	1 1/2 x 1/2	40x15
	1 1/2 x 3/4	40x20
	1 1/2 x 1	40x25
	1 1/2 x 1 1/4	40x32
	2 x 1/2	50x15
	2 x 3/4	50x20
	2 x 1	50x25
	2 x 1 1/4	50x32
	2 x 1 1/2	50x40

 BRASS MTA		
Size (Inch)	Size (mm)	Std. Pkg.
SDR - 11	1/2	15
	3/4	20
	1	25
	1 1/4	32
	1 1/2	40
	2	50
SCH - 80	2 1/2	65
	3	80

 REDUCING BRASS MTA		
Size (Inch)	Size (mm)	Std. Pkg.
SDR - 11	3/4 x 1/2	20x15
	1 x 1/2	25x15
	1 x 3/4	25x20

 BRASS MTA (HEX TYPE)		
Size (Inch)	Size (mm)	Std. Pkg.
SDR - 11	3/4 x 1/2	20x15

 REDUCING BRASS TEE		
Size (Inch)	Size (mm)	Std. Pkg.
SDR - 11	3/4 x 3/4 x 1/2	20x20x15
	1 x 1 x 1/2	25x25x15
	1 x 1 x 3/4	25x25x20

 REDUCING TEE		
Size (Inch)	Size (mm)	Std. Pkg.
SDR - 11	3/4 x 1/2	20x15
	1 x 1/2	25x15
	1 x 3/4	25x20
	1 1/4 x 3/4	32x20
	1 1/4 x 1	32x25
	1 1/2 x 3/4	40x20
	1 1/2 x 1	40x25
	2 x 3/4	50x20
	2 x 1	50x25
	2 x 1 1/4	50x32
	2 x 1 1/2	50x40

 3 IN 1 MIXER ADAPTOR (ALL TOP)		
Size (Inch)	Size (mm)	Std. Pkg.
SDR - 11	3/4 x 1/2 (6")	20x15
	3/4 x 1/2 (7")	20x15

 3 IN 1 MIXER ADAPTOR (TOP BOTTOM)		
Size (Inch)	Size (mm)	Std. Pkg.
SDR - 11	3/4 x 1/2 (6")	20x15
	3/4 x 1/2 (7")	20x15

 3 IN 1 MIXER ADAPTOR (TOP & SIDE)		
Size (Inch)	Size (mm)	Std. Pkg.
SDR - 11	3/4 x 1/2 (6")	20x15
	3/4 x 1/2 (7")	20x15

 3 IN 1 MIXER ADAPTOR (HOT TOP & COLD DOWN)		
Size (Inch)	Size (mm)	Std. Pkg.
SDR - 11	3/4 x 1/2 (6")	20x15
	3/4 x 1/2 (7")	20x15

 3 IN 1 MIXER ADAPTOR (HOT SIDE & COLD DOWN)		
Size (Inch)	Size (mm)	Std. Pkg.
SDR - 11	3/4 x 1/2 (6")	20x15
	3/4 x 1/2 (7")	20x15

		BRASS ELBOW	
	Size (Inch)	Size (mm)	Std. Pkg.
SDR - 11	1/2 x 1/2	15x15	150
	3/4 x 3/4	20x20	75
	1x1	25x25	40

		REDUCING BRASS ELBOW	
	Size (Inch)	Size (mm)	Std. Pkg.
SDR - 11	3/4 x 1/2	20x15	100
	1 x 1/2	25x15	50
	1 x 3/4	25x20	50

HSN CODE - 84818090

		CONSEALED COCK (Quarter Turn)	
	Size (Inch)		Std. Pkg.
	3/4 x Triangle knob		12
	3/4 x Round Knob		12

		CONSEALED COCK (Full Turn)	
	Size (Inch)		Std. Pkg.
	3/4		12
	1		12

HSN CODE - 39172310

		PAN CONNECTOR 18mm OFFSET	
	Size (mm)		Std. Pkg.
	125x110		4

		PAN CONNECTOR 40mm OFFSET	
	Size (mm)		Std. Pkg.
	125x110		4

		PAN CONNECTOR STRAIGHT	
	Size (mm)		Std. Pkg.
	125x110		6

CPVC BALL VALVE
HSN CODE - 84818090

		BALL VALVE	
	Size (Inch)	Size (mm)	Std. Pkg.
SDR - 11	1/2	15	56
	3/4	20	60
	1	25	35
	1 1/4	32	12
	1 1/2	40	08
	2	50	05

		BALL VALVE	
	Size (Inch)	Size (mm)	Std. Pkg.
SCH. 80	2 1/2	65	05
	3	80	03

CPVC SOLVENT CEMENT
HSN CODE - 35061000

		CPVC SOLVENT CEMENT	
	Size (ml)		Std. Pkg.
	20ml (Tube)		100
	50ml (Tube)		50
	59ml (Tin)		30
	120ml (Tin)		24
	240ml (Tin)		24

		CPVC SOLVENT CEMENT HEAVY DUTY	
	Size (ml)		Std. Pkg.
	240ml - 8 oz		24
	480ml - 16 oz		12
	960ml - 32 oz		6

HSN CODE - 84248100

P.T.F.E. THREAD SEALANT TAPE
HSN CODE - 39209949

		P.T.F.E. THREAD SEALANT TAPE	
	Size (Inch x m)		Std. Pkg.
	1/2 x 10m		250
	1/2 x 15m		250

		P.T.F.E. THREAD SEALANT TAPE HIGH DENSITY	
	Size (Inch x m)		Std. Pkg.
	1/2 x 10m		250

HSN CODE - 39172390

		COLLAPSIBLE WASTE PIPE	
	Size (mm / Inch)		Std. Pkg.
	32mm (1 1/4 Inlet)		100

		CONNECTION TUBE	
	Size (Feet / mm)		Std. Pkg.
	1 1/2 Feet (460mm)		75
	2 Feet (600mm)		75
	3 Feet (915mm)		75

		BRAIDED CONNECTION TUBE	
	Size (Feet / mm)		Std. Pkg.
	1 1/2 Feet (460mm)		75
	2 Feet (600mm)		75
	3 Feet (915mm)		50

Y - TYPE SCREEN FILTER		
Size (Inch)	Size (mm)	Std. Pkg.
3/4	20	10
1	25	10
1 1/2	40	4
2	50	1

uPVC

PLUMBING SYSTEM

ULTIMATE PLUMBING
SOLUTION FOR

COLD

WATER



A specialized chemistry brass insert is used to enhance the life of thread and fitting.

uPVC Pipe in Sch. 40 & 80 as per ASTM D 1785

HSN CODE - 39172390

 PIPES SCH. 40 (3 METRE LENGTH)		
Size (Inch)	Size (mm)	Std. Pkg.
1/2	15	50
3/4	20	40
1	25	25
1 1/4	32	15
1 1/2	40	10
2	50	5
2 1/2	65	5
3	80	3
4	100	3
6	150	1

 PIPES SCH. 40 (6 METRE LENGTH)		
Size (Inch)	Size (mm)	Std. Pkg.
1/2	15	40
3/4	20	30
1	25	20
1 1/4	32	15
1 1/2	40	10
2	50	5
2 1/2	65	5
3	80	3
4	100	3
6	150	1

 PIPES SCH. 80 (3 METRE LENGTH)		
Size (Inch)	Size (mm)	Std. Pkg.
1/2	15	50
3/4	20	40
1	25	25
1 1/4	32	15
1 1/2	40	10
2	50	5
2 1/2	65	5
3	80	3
4	100	3

 PIPES SCH. 80 (6 METRE LENGTH)		
Size (Inch)	Size (mm)	Std. Pkg.
1/2	15	40
3/4	20	30
1	25	20
1 1/4	32	15
1 1/2	40	10
2	50	5
2 1/2	65	5
3	80	3
4	100	3

 COUPLER		
Size (Inch)	Size (mm)	Std. Pkg.
1/2	15	300
3/4	20	175
1	25	125
1 1/4	32	75
1 1/2	40	60
2	50	36
2 1/2	65	18
3	80	12
4	100	8

 ELBOW 45°		
Size (Inch)	Size (mm)	Std. Pkg.
1/2	15	250
3/4	20	150
1	25	100
1 1/4	32	50
1 1/2	40	40
2	50	20
2 1/2	65	10
3	80	06

 END CAP		
Size (Inch)	Size (mm)	Std. Pkg.
1/2	15	250
3/4	20	150
1	25	75
1 1/4	32	50
1 1/2	40	100
2	50	60
2 1/2	65	36
3	80	12
4	110	08

 UNION		
Size (Inch)	Size (mm)	Std. Pkg.
1/2	15	125
3/4	20	75
1	25	50
1 1/4	32	40
1 1/2	40	27
2	50	15
2 1/2	65	6
3	80	4

Fittings in Sch. 80 as per ASTM D 2467

HSN CODE - 39174000

 ELBOW 90°		
Size (Inch)	Size (mm)	Std. Pkg.
1/2	15	225
3/4	20	125
1	25	75
1 1/4	32	40
1 1/2	40	30
2	50	18
2 1/2	65	10
3	80	6
4	100	4

 TEE		
Size (Inch)	Size (mm)	Std. Pkg.
1/2	15	150
3/4	20	100
1	25	50
1 1/4	32	30
1 1/2	40	20
2	50	15
2 1/2	65	6
3	80	4
4	100	2

 ELBOW PLASTIC THREADED		
Size (Inch)	Size (mm)	Std. Pkg.
1/2 x 1/2	15x15	250
3/4 x 1/2	20x15	125
3/4 x 3/4	20x20	125
1x1	25x25	75

 TEE PLASTIC THREADED		
Size (Inch)	Size (mm)	Std. Pkg.
1/2 x 1/2	15x15	150
3/4 x 1/2	20x15	100
3/4 x 3/4	20x20	100
1x1	25x25	50



 MTA PLASTIC THREADED		
Size (Inch)	Size (mm)	Std. Pkg.
1/2	15	400
3/4	20	275
1	25	150
1 1/4	32	100
1 1/2	40	100
2	50	60
2 1/2	65	18
3	80	18
4	100	8

 REDUCING MTA PLASTIC THREADED		
Size (Inch)	Size (mm)	Std. Pkg.
1 x 1/2	25x15	175

 FTA PLASTIC THREADED		
Size (Inch)	Size (mm)	Std. Pkg.
1/2	15	300
3/4	20	225
1	25	125
1 1/4	32	75
1 1/2	40	64
2	50	36
2 1/2	65	18
3	80	12
4	100	8

 REDUCING FTA PLASTIC THREADED		
Size (Inch)	Size (mm)	Std. Pkg.
3/4 x 1/2	20x15	250
1 x 1/2	25x15	175

 BEND 90° (FABRICATED)		
Size (Inch)	Size (mm)	Std. Pkg.
1/2	15	50
3/4	20	50
1	25	50
1 1/4	32	15
1 1/2	40	15
2	50	10
2 1/2	65	05
3	80	04

 TANK CONNECTOR LONG (THxSPG)		
Size (Inch)	Size (mm)	Std. Pkg.
1/2	15	150
3/4	20	75
1	25	50
1 1/4	32	30
1 1/2	40	20
2	50	10
2 1/2	65	06
3	80	04
4	100	02

 TANK CONNECTOR SHORT (THxTH)		
Size (Inch)	Size (mm)	Std. Pkg.
1/2	15	75
3/4	20	100
1	25	75
1 1/4	32	40
1 1/2	40	30
2	50	20

 TANK CONNECTOR SOCKET TYPE (THxST)		
Size (Inch)	Size (mm)	Std. Pkg.
1/2	15	75
3/4	20	100
1	25	75
1 1/4	32	40
1 1/2	40	30
2	50	20

 STEP OVER BEND (FABRICATED)		
Size (Inch)	Size (mm)	Std. Pkg.
1/2	15	50
3/4	20	50
1	25	25
1 1/4	32	20
1 1/2	40	15
2	50	10

 CROSS TEE		
Size (Inch)	Size (mm)	Std. Pkg.
1/2	15	100
3/4	20	75
1	25	40

 PIPE CLIP		
Size (Inch)	Size (mm)	Std. Pkg.
1/2	15	450
3/4	20	400
1	25	300
1 1/4	32	200
1 1/2	40	150
2	50	100

 NON RETURN VALVE		
Size (Inch)	Size (mm)	Std. Pkg.
3/4	20	25
1	25	24

 THREADED PLUG		
Size (Inch)	Size (mm)	Std. Pkg.
1/2	15	700
3/4	20	500
1	25	300

 CIRCUIT TESTING PLUG		
Size (Inch)	Size (mm)	Std. Pkg.
1/2	15	200

 FLANGE SOCKET TYPE (WITH GASKET)		
Size (Inch)	Size (mm)	Std. Pkg.
1	25	20
1 1/2	40	14
2	50	8
2 1/2	65	4
3	80	4
4	100	2

 MALE TRANSITION NIPPLE		
Size (Inch)	Size (mm)	Std. Pkg.
1/2	15	100
3/4	20	75
1	25	50
1 1/4	32	30
1 1/2	40	20
2	50	20




REDUCING BUSH

Size (Inch)	Size (mm)	Std. Pkg.
3/4 x 1/2	20x15	300
1 x 1/2	25x15	300
1 x 3/4	25x20	300
1 1/4 x 1/2	32x15	200
1 1/4 x 3/4	32x20	200
1 1/4 x 1	32x25	200
1 1/2 x 1/2	40x15	125
1 1/2 x 3/4	40x20	150
1 1/2 x 1	40x25	125
1 1/2 x 1 1/4	40x32	125
2 x 1/2	50x15	50
2 x 3/4	50x20	50
2 x 1	50x25	50
2 x 1 1/4	50x32	50
2 x 1 1/2	50x40	50
2 1/2 x 1 1/4	65x32	30
2 1/2 x 1 1/2	65x40	30
2 1/2 x 2	65x50	30
3 x 2	80x50	24
3 x 2 1/2	80x65	24
4 x 2	100x50	12
4 x 2 1/2	100x65	12
4 x 3	100x80	12


BRASS MTA

Size (Inch)	Size (mm)	Std. Pkg.
1/2 x 1/2	15x15	100
3/4 x 3/4	20x20	75
1 x 1	25x25	40
1 1/4 x 1 1/4	32x32	20
1 1/2 x 1 1/2	40x40	16
2 x 2	50x50	10
2 1/2 x 2 1/2	65x65	06
3 x 3	80x80	04


REDUCING BRASS MTA

Size (Inch)	Size (mm)	Std. Pkg.
3/4 x 1/2	20x15	100
1 x 1/2	25x15	40
1 x 3/4	25x20	40


BRASS TEE

Size (Inch)	Size (mm)	Std. Pkg.
1/2 x 1/2 x 1/2	15x15x15	50
3/4 x 3/4 x 3/4	20x20x20	40
1 x 1 x 1	25x25x25	24


REDUCER

Size (Inch)	Size (mm)	Std. Pkg.
3/4 x 1/2	20x15	200
1 x 1/2	25x15	150
1 x 3/4	25x20	125
1 1/4 x 1/2	32x15	120
1 1/4 x 3/4	32x20	140
1 1/4 x 1	32x25	75
1 1/2 x 1/2	40x15	100
1 1/2 x 3/4	40x20	100
1 1/2 x 1	40x25	100
1 1/2 x 1 1/4	40x32	50
2 x 1/2	50x15	60
2 x 3/4	50x20	60
2 x 1	50x25	64
2 x 1 1/4	50x32	60
2 x 1 1/2	50x40	64
2 1/2 x 2	65x50	27


BRASS FTA

Size (Inch)	Size (mm)	Std. Pkg.
1/2 x 1/2	15x15	100
3/4 x 3/4	20x20	75
1 x 1	25x25	50
1 1/4 x 1 1/4	32x32	24
1 1/2 x 1 1/2	40x40	24
2 x 2	50x50	10
2 1/2 x 2 1/2	65x65	06
3 x 3	80x80	06


REDUCING BRASS FTA

Size (Inch)	Size (mm)	Std. Pkg.
3/4 x 1/2	20x15	100
1 x 1/2	25x15	40
1 x 3/4	25x20	40


REDUCING BRASS BUSH

Size (Inch)	Size (mm)	Std. Pkg.
1 x 1/2	25x15	125


REDUCING BRASS TEE

Size (Inch)	Size (mm)	Std. Pkg.
3/4 x 3/4 x 1/2	20x20x15	50
1 x 1 x 1/2	25x25x15	30
1 x 1 x 3/4	25x25x20	30


REDUCING TEE

Size (Inch)	Size (mm)	Std. Pkg.
3/4 x 1/2	20x15	100
1 x 1/2	25x15	50
1 x 3/4	25x20	50
1 1/4 x 1/2	32x15	30
1 1/4 x 3/4	32x20	30
1 1/4 x 1	32x25	30
1 1/2 x 1/2	40x15	24
1 1/2 x 3/4	40x20	24
1 1/2 x 1	40x25	24
1 1/2 x 1 1/4	40x32	20
2 x 1/2	50x15	18
2 x 3/4	50x20	18
2 x 1	50x25	18
2 x 1 1/4	50x32	15
2 x 1 1/2	50x40	15


REDUCING ELBOW

Size (Inch)	Size (mm)	Std. Pkg.
3/4 x 1/2	20x15	125
1 x 1/2	25x15	100
1 x 3/4	25x20	75


BRASS ELBOW

Size (Inch)	Size (mm)	Std. Pkg.
1/2 x 1/2	15x15	75
3/4 x 3/4	20x20	50
1 x 1	25x25	30
3/4 x 1/2	20x15	50
1 x 1/2	25x15	50
1 x 3/4	25x20	30

HSN CODE - 84818090

CONSEALED COCK (QUARTER TURN)

Size (Inch)	Size (mm)	Std. Pkg.
3/4	20	12
1	25	12


CONSEALED COCK (FULL TURN)

Size (Inch)	Size (mm)	Std. Pkg.
3/4	20	12
1	25	12

ASTM BALL VALVE

HSN CODE - 84818090

 ASTM BALL VALVE (SHORT HANDLE)		
Size (Inch)	Size (mm)	Std. Pkg.
1/2	15	72
3/4	20	54
1	25	26
1 1/4	32	20
1 1/2	40	12

 ASTM BALL VALVE (LONG HANDLE)		
Size (Inch)	Size (mm)	Std. Pkg.
1/2	15	80
3/4	20	50
1	25	30
2	50	05

 TWO PIECE BALL VALVE		
Size (Inch)	Size (mm)	Std. Pkg.
2 1/2	65	05
3	80	03

uPVC SOLVENT CEMENT

HSN CODE - 35061000

 uPVC SOLVENT CEMENT	
Size (ml)	Std. Pkg.
25ml (Tube)	64
50ml (Tube)	50
50ml (Tin)	30
120ml (Tin)	24
240ml (Tin)	24
480ml (Tin)	12
960ml (Tin)	6

 uPVC SOLVENT CEMENT HEAVY DUTY	
Size (ml)	Std. Pkg.
120ml	24
240ml	24
480ml	12
960ml	6

 PARAS PRIMER	
Size (ml)	Std. Pkg.
240ml	24



PARAS®

SWR

DRAINAGE SYSTEM

BEST SOLUTION FOR

DRAINAGE

SYSTEM

PARAS®
SWR PIPES



IS-13592

CM/L - 7354474
Pipes

IS-14735

CM/L - 7438177
Fittings



PARAS SUPERFIT SWR PIPES - IS 13592

PIPES HSN CODE - 39172390

Size	Type	50mm		75mm		90mm		110mm		160mm	
		Type A	Type B	Type A	Type B	Type A	Type B	Type A	Type B	Type A	Type B
		4 kg	6 kg	4 kg	6 kg	4 kg	6 kg	4 kg	6 kg	4 kg	6 kg
10ft	Single Socket	-	-	-	-	-	-	-	-	-	-
6ft	Single Socket	-	-	-	-	-	-	-	-	-	-
4ft	Single Socket	-	-	-	-	-	-	-	-	-	-
3ft	Single Socket	-	-	-	-	-	-	-	-	-	-
2ft	Single Socket	-	-	-	-	-	-	-	-	-	-
10ft	Double Socket	-	-	-	-	-	-	-	-	-	-
6ft	Double Socket	-	-	-	-	-	-	-	-	-	-
4ft	Double Socket	-	-	-	-	-	-	-	-	-	-
3ft	Double Socket	-	-	-	-	-	-	-	-	-	-
2ft	Double Socket	-	-	-	-	-	-	-	-	-	-
10ft	Selfit Socket	-	-	-	-	-	-	-	-	-	-

Paras (2.5kg)		75mm	110mm	160mm
10ft	Single Socket	-	-	-
10ft	Double Socket	-	-	-
10ft	Selfit Socket	-	-	-

PARAS SUPERFIT 'O' RING FITTINGS IS : 14735

FITTINGS HSN CODE - 39174000

		BEND 87.5°	
Size (Inch)	Size (mm)	Std. Pkg.	
1½	50	120	
2½	75	90	
3	90	50	
4	110	32	
6	160	10	

		BEND 87.5° DOOR	
Size (Inch)	Size (mm)	Std. Pkg.	
1½	50	100	
2½	75	72	
3	90	45	
4	110	28	
6	160	09	

		BEND 45°	
Size (Inch)	Size (mm)	Std. Pkg.	
1½	50	210	
2½	75	52	
3	90	72	
4	110	40	
6	160	12	

		SINGLE TEE	
Size (Inch)	Size (mm)	Std. Pkg.	
1½	50	88	
2½	75	55	
3	90	32	
4	110	20	
6	160	06	

		SINGLE TEE DOOR	
Size (Inch)	Size (mm)	Std. Pkg.	
1½	50	50	
2½	75	42	
3	90	30	
4	110	18	
6	160	06	

		COUPLER	
Size (Inch)	Size (mm)	Std. Pkg.	
2½	75	70	
3	90	44	
4	110	48	
6	160	15	



 SINGLE WYE		
Size (Inch)	Size (mm)	Std. Pkg.
1½	50	63
2½	75	44
3	90	26
4	110	16
6	160	05

 SINGLE WYE DOOR		
Size (Inch)	Size (mm)	Std. Pkg.
1½	50	60
2½	75	42
3	90	26
4	110	14
6	160	05

 DOUBLE WYE		
Size (Inch)	Size (mm)	Std. Pkg.
2½	75	28
4	110	08

 REDUCER		
Size (Inch)	Size (mm)	Std. Pkg.
4×2½	110x75	48
3×2½	90x75	56
4×3	110x90	32
6×4	160x110	27

 OFFSET		
Size (Inch)	Size (mm)	Std. Pkg.
1½	50	84
2½	75	30
3	90	37
4	110	24



 DOUBLE TEE		
Size (Inch)	Size (mm)	Std. Pkg.
2½	75	40
3	90	24
4	110	16

 DOUBLE TEE DOOR		
Size (Inch)	Size (mm)	Std. Pkg.
2½	75	31
3	90	18
4	110	10

 DOUBLE WYE DOOR		
Size (Inch)	Size (mm)	Std. Pkg.
2½	75	22
4	110	08

 SWEPT TEE (WITH DOOR)		
Size (Inch)	Size (mm)	Std. Pkg.
4	110	16

 SWEPT TEE		
Size (Inch)	Size (mm)	Std. Pkg.
4	110	16

 REDUCING TEE		
Size (Inch)	Size (mm)	Std. Pkg.
4×2½	110x75	24
6×4	160x110	07

 REDUCING TEE DOOR		
Size (Inch)	Size (mm)	Std. Pkg.
4×2½	110x75	20
6×4	160x110	06

 REDUCING SINGLE WYE		
Size (Inch)	Size (mm)	Std. Pkg.
4×2½	110x75	24

 REDUCING DOUBLE WYE		
Size (Inch)	Size (mm)	Std. Pkg.
2½×4×2½	75x110x75	14

 CLEANING PIPE		
Size (Inch)	Size (mm)	Std. Pkg.
2½	75	30
3	90	54
4	110	24
6	160	08

DRAINAGE COVER & RUBBER LUBRICANT

HSN CODE - 39231090

 DRAINAGE COVER	
Size (Inch)	Std. Pkg.
10x10	02
12x12	02
18x18	02
18x24	02
16x22	02
24x24	02

HSN CODE - 34031900

 RUBBER LUBRICANT	
Size (gm)	Std. Pkg.
50gm	100
100gm	50
250gm	30
500gm	14
1 kg.	08

PARAS INDIA SELFIT FITTINGS IS :14735

FITTINGS HSN CODE - 39174000

 BEND 87.5°		
Size (Inch)	Size (mm)	Std. Pkg.
1½	50	120
2½	75	96
3	90	62
4	110	35
6	160	12

 SINGLE TEE		
Size (Inch)	Size (mm)	Std. Pkg.
1½	50	68
2½	75	60
3	90	39
4	110	24
6	160	06

 SINGLE TEE DOOR		
Size (Inch)	Size (mm)	Std. Pkg.
1½	50	50
2½	75	51
3	90	36
4	110	20
6	160	06

 BEND 87.5° (WITH DOOR)		
Size (Inch)	Size (mm)	Std. Pkg.
1½	50	120
2½	75	72
3	90	52
4	110	30
6	160	10

 SWEPT TEE		
Size (Inch)	Size (mm)	Std. Pkg.
4	110	18

 SWEPT TEE (WITH DOOR)		
Size (Inch)	Size (mm)	Std. Pkg.
4	110	16

 BEND 45°		
Size (Inch)	Size (mm)	Std. Pkg.
1½	50	210
2½	75	75
3	90	74
4	110	48
6	160	12

 SINGLE WYE		
Size (Inch)	Size (mm)	Std. Pkg.
1½	50	75
2½	75	50
3	90	30
4	110	16
6	160	05

 SINGLE WYE DOOR		
Size (Inch)	Size (mm)	Std. Pkg.
1½	50	66
2½	75	36
3	90	30
4	110	16
6	160	05

 COUPLER		
Size (Inch)	Size (mm)	Std. Pkg.
2½	75	93
3	90	46
4	110	72
6	160	18

 DOUBLE WYE		
Size (Inch)	Size (mm)	Std. Pkg.
2½	75	30
4	110	10

 DOUBLE WYE DOOR		
Size (Inch)	Size (mm)	Std. Pkg.
2½	75	22
4	110	08

 CLEANING PIPE		
Size (Inch)	Size (mm)	Std. Pkg.
2½	75	36
3	90	54
4	110	30
6	160	08

 DOUBLE TEE		
Size (Inch)	Size (mm)	Std. Pkg.
2½	75	45
3	90	27
4	110	18

 DOUBLE TEE DOOR		
Size (Inch)	Size (mm)	Std. Pkg.
2½	75	31
3	90	18
4	110	10

 REDUCING TEE		
Size (Inch)	Size (mm)	Std. Pkg.
4x2½	110x75	33
6x4	160x110	07

 REDUCING TEE DOOR		
Size (Inch)	Size (mm)	Std. Pkg.
4x2½	110x75	20
6x4	160x110	06



 REDUCER		
Size (Inch)	Size (mm)	Std. Pkg.
4x2½	110x75	48
3x2½	90x75	75
4x3	110x90	36
6x4	160x110	27

 OFFSET		
Size (Inch)	Size (mm)	Std. Pkg.
1½	50	84
2½	75	30
3	90	37
4	110	24

 REDUCING SINGLE WYE		
Size (Inch)	Size (mm)	Std. Pkg.
4x2½	110x75	24

 REDUCING DOUBLE WYE		
Size (Inch)	Size (mm)	Std. Pkg.
2½x4x2½	75x110x75	16

COMMON FITTINGS FOR BOTH RINGFIT & SELFIT
FITTINGS HSN CODE - 39174000

 NAHANI TRAP (WITHOUT JALI)		
Size (Inch)	Size (mm)	Std. Pkg.
2	63	58
2½	75	50
3	90	44
4	110	36

 NAHANI TRAP WITH 40MM INLET (WITHOUT JALI)		
Size (Inch)	Size (mm)	Std. Pkg.
2	63	50
2½	75	50
3	90	44
4	110	36

 MULTI FLOOR TRAP 4" HEIGHT (WITH TOP TILE SET)		
Size (Inch)	Size (mm)	Std. Pkg.
2½x1½	75x50	32

 NAHANI TRAP (WITH JALI)		
Size (Inch)	Size (mm)	Std. Pkg.
2	63	58
2½	75	50
3	90	44
4	110	36

 NAHANI TRAP WITH 40MM INLET (WITH JALI)		
Size (Inch)	Size (mm)	Std. Pkg.
2	63	50
2½	75	50
3	90	44
4	110	36

 MULTI FLOOR TRAP 4" HEIGHT (WITH OUT TOP TILE SET)		
Size (Inch)	Size (mm)	Std. Pkg.
2½x1½	75x50	32

 W.C. CONNECTOR		
Size (Inch x Feet)	Std. Pkg.	
4x1½'	7	
4x2'	7	

 ROUND JALI		
Size (Inch)	Size (mm)	Std. Pkg.
4	110	100

 MULTI FLOOR TRAP 7" HEIGHT		
Size (Inch)	Size (mm)	Std. Pkg.
2½x1¼	75x40	27
2½x1¼	75x40	27

 WC BEND		
Size (Inch)	Size (mm)	Std. Pkg.
4x4½	110x125	31

 TOP TILE SET		
Size (Inch)	Size (mm)	Std. Pkg.
5.9x5.9	150x150	50

 HEIGHT RISER (6" HEIGHT) WITH 3 SOCKET PLUG		
Size (Inch)	Size (mm)	Std. Pkg.
4x1¼	110x40	33

 BALCONY FLOOR DRAIN		
Size (Inch)	Size (mm)	Std. Pkg.
2½	75	06

 COLOUR TOP TILE SET		
Size (Inch)	Size (mm)	Std. Pkg.
5.9x5.9	150x150	30

 VENT COWL		
Size (Inch)	Size (mm)	Std. Pkg.
2	63	338
2½	75	240
3	90	161
4	110	96
6	160	24

 P TRAP		
Size (Inch)	Size (mm)	Std. Pkg.
4x4	110x110	12
4x4½	110x125	12

 S TRAP		
Size (Inch)	Size (mm)	Std. Pkg.
4x4	110x110	9
4x4½	110x125	8

 BELL MOUNT TRAP		
Size (Inch)	Size (mm)	Std. Pkg.
4 x 4	110x110	13
4x1½	110x125	13

 P TRAP LOW HEIGHT		
Size (Inch)	Size (mm)	Std. Pkg.
4x4	110x110	14
4x4½	110x125	14
4x4½	110x125	14

 Q TRAP		
Size (Inch)	Size (mm)	Std. Pkg.
4x4	110x110	11
4x4½	110x125	10

 BELL MOUNT TRAP LOW HEIGHT		
Size (Inch)	Size (mm)	Std. Pkg.
4 x 4	110x110	14
4x1½	110x125	13

 ELBOW		
Size (Inch)	Size (mm)	Std. Pkg.
6	160	11

 PIPE CLIP		
Size (Inch)	Size (mm)	Std. Pkg.
1½	50	400
2	63	440
2½	75	330
3	90	264
4	110	200
6	160	140

 DOOR CAP		
Size (Inch)	Size (mm)	Std. Pkg.
1½	50	–
2	63	–
2½	75	–
4	110	–

 ELBOW (WITH DOOR)		
Size (Inch)	Size (mm)	Std. Pkg.
6	160	9

 SOCKET PLUG		
Size (Inch)	Size (mm)	Std. Pkg.
2½	75	150
4	110	128

 LIP RING		
Size (Inch)	Size (mm)	Std. Pkg.
4 x 4	110x110	–
4 x 4½	110x125	–

		
Size (Inch)	Size (mm)	Std. Pkg.
6	160	6

 SQUARE GULLY TRAP		
Size (Inch)	Size (mm)	Std. Pkg.
4x4	110x110	14
4x4	110x110	14

 BYPASS BEND		
Size (Inch)	Size (mm)	Std. Pkg.
2½	75	15
4	110	07

PARAS AQUA FITTINGS 'O' RING
FITTINGS HSN CODE - 39174000

 BEND 87.5°		
Size (Inch)	Size (mm)	Std. Pkg.
2½	75	96
4	110	36

 BEND 87.5° DOOR		
Size (Inch)	Size (mm)	Std. Pkg.
2½	75	84
4	110	30

 BEND 45°		
Size (Inch)	Size (mm)	Std. Pkg.
2½	75	60
4	110	44

 SINGLE TEE		
Size (Inch)	Size (mm)	Std. Pkg.
2½	75	66
4	110	24

 SINGLE TEE DOOR		
Size (Inch)	Size (mm)	Std. Pkg.
2½	75	51
4	110	20

 REDUCER		
Size (Inch)	Size (mm)	Std. Pkg.
4x2½	110x75	48

 SINGLE WYE		
Size (Inch)	Size (mm)	Std. Pkg.
2½	75	48
4	110	16

 SINGLE WYE DOOR		
Size (Inch)	Size (mm)	Std. Pkg.
2½	75	42
4	110	16

 COUPLER		
Size (Inch)	Size (mm)	Std. Pkg.
2½	75	75
4	110	64

PARAS AQUA FITTINGS SELFIT
FITTINGS HSN CODE - 39174000

 BEND 87.5°		
Size (Inch)	Size (mm)	Std. Pkg.
2½	75	112
4	110	34

 BEND 87.5° DOOR		
Size (Inch)	Size (mm)	Std. Pkg.
2½	75	90
4	110	28

 BEND 45°		
Size (Inch)	Size (mm)	Std. Pkg.
2½	75	80
4	110	48

 SINGLE TEE		
Size (Inch)	Size (mm)	Std. Pkg.
2½	75	68
4	110	24

 SINGLE TEE DOOR		
Size (Inch)	Size (mm)	Std. Pkg.
2½	75	51
4	110	20

 DOOR CAP		
Size (Inch)	Size (mm)	Std. Pkg.
2½	75	—
4	110	—

 REDUCER		
Size (Inch)	Size (mm)	Std. Pkg.
4x2½	110x75	36

 SINGLE WYE		
Size (Inch)	Size (mm)	Std. Pkg.
2½	75	52
4	110	16

 SINGLE WYE DOOR		
Size (Inch)	Size (mm)	Std. Pkg.
2½	75	45
4	110	16

 COUPLER		
Size (Inch)	Size (mm)	Std. Pkg.
2½	75	80
4	110	60

 P TRAP LOW HEIGHT LW		
Size (Inch)	Size (mm)	Std. Pkg.
4x4	110x110	14
4x4½	110x125	14

ECO-DRAIN UNDERGROUND DRAINAGE SYSTEM

Special HI-TECH Compound

SIZES - 110mm/160mm/200mm

DIMENSION - 3m & 6m

FEATURES AND BENEFITS

- Great Flexibility
- High Compression Strength
- High Tensile Strength
- High Impact Strength
- Hygienic & Safe
- Excellent Resistance to Corrosion and Chemical Attack.



ECO DRAIN UNDERGROUND DRAINAGE PIPES

HSN CODE - 39172390

ECO DRAIN PIPE (3m)		
Size (Inch)	Size (mm)	Std. Pkg.
4	110	01
6	160	01
8	200	01

ECO DRAIN PIPE (6m)		
Size (Inch)	Size (mm)	Std. Pkg.
4	110	01
6	160	01
8	200	01

CAVITY HOLE PIPE (3m)		
Size (Inch)	Size (mm)	Std. Pkg.
4	110	01
6	160	01

CAVITY HOLE PIPE (6m)		
Size (Inch)	Size (mm)	Std. Pkg.
4	110	01
6	160	01

ECO DRAIN AQUA (3m)		
Size (Inch)	Size (mm)	Std. Pkg.
6	160	01

ECO DRAIN AQUA (6m)		
Size (Inch)	Size (mm)	Std. Pkg.
6	160	01

ECO DRAIN UNDERGROUND DRAINAGE FITTINGS

HSN CODE - 39174000

TEE		
Size (Inch)	Size (mm)	Std. Pkg.
4	110	20
6	160	06
8	200	03

SOCKET (FABRICATED)		
Size (Inch)	Size (mm)	Std. Pkg.
4	110	35
6	160	12
8	200	7

ELBOW		
Size (Inch)	Size (mm)	Std. Pkg.
4	110	32
6	160	11
8	200	04

ELBOW (WITH DOOR)		
Size (Inch)	Size (mm)	Std. Pkg.
6	160	09

REDUCER TEE		
Size (Inch)	Size (mm)	Std. Pkg.
6x4	160x110	08

REDUCER		
Size (Inch)	Size (mm)	Std. Pkg.
6x4	160x110	32

END CAP PLAIN (WITHOUT COLLAR)		
Size (Inch)	Size (mm)	Std. Pkg.
4	110	70

END CAP PLAIN		
Size (Inch)	Size (mm)	Std. Pkg.
6	160	36
8	200	20

SQUARE GULLY TRAP		
Size (Inch)	Size (mm)	Std. Pkg.
4x4	110x110	14
4x4	110x110	14

ECO DRAIN UNDERGROUND DRAINAGE PIPES
HSN CODE - 39172390

 'O' RING SINGLE SOCKET (3m)		
Size (Inch)	Size (mm)	Std. Pkg.
4	110	01
6	160	01

 'O' RING DOUBLE SOCKET (3m)		
Size (Inch)	Size (mm)	Std. Pkg.
4	110	01
6	160	01

 SELFIT PIPE SOCKET (3m)		
Size (Inch)	Size (mm)	Std. Pkg.
4	110	01
6	160	01

 'O' RING SINGLE SOCKET (6m)		
Size (Inch)	Size (mm)	Std. Pkg.
4	110	01
6	160	01

 'O' RING DOUBLE SOCKET (6m)		
Size (Inch)	Size (mm)	Std. Pkg.
4	110	01
6	160	01

 SELFIT PIPE SOCKET (6m)		
Size (Inch)	Size (mm)	Std. Pkg.
4	110	01
6	160	01

uPVC UNDERGROUND DRAINAGE 'O' RING FITTINGS
HSN CODE - 39174000

 PLAIN BEND 87.5°		
Size (Inch)	Size (mm)	Std. Pkg.
4	110	32
6	160	10

 SINGLE TEE		
Size (Inch)	Size (mm)	Std. Pkg.
4	110	20
6	160	06

 CLEANING PIPE		
Size (Inch)	Size (mm)	Std. Pkg.
4	110	24
6	160	08

 COUPLER		
Size (Inch)	Size (mm)	Std. Pkg.
4	110	48
6	160	15

 SINGLE WYE		
Size (Inch)	Size (mm)	Std. Pkg.
4	110	16
6	160	05

 BEND 45°		
Size (Inch)	Size (mm)	Std. Pkg.
4	110	36
6	160	12

 REDUCING TEE DOOR		
Size (Inch)	Size (mm)	Std. Pkg.
6x4	160x110	06

 REDUCING TEE		
Size (Inch)	Size (mm)	Std. Pkg.
6x4	160x110	07

 SOCKET PLUG		
Size (Inch)	Size (mm)	Std. Pkg.
4	110	128

 REDUCER		
Size (Inch)	Size (mm)	Std. Pkg.
6x4	160x110	27



uPVC UNDERGROUND DRAINAGE SELFIT FITTINGS

HSN CODE - 39174000

 PLAIN BEND 87.5°		
Size (Inch)	Size (mm)	Std. Pkg.
4	110	31
6	160	12

 SINGLE TEE		
Size (Inch)	Size (mm)	Std. Pkg.
4	110	24
6	160	06

 CLEANING PIPE		
Size (Inch)	Size (mm)	Std. Pkg.
4	110	30
6	160	08

 COUPLER		
Size (Inch)	Size (mm)	Std. Pkg.
4	110	54
6	160	18

 SINGLE WYE		
Size (Inch)	Size (mm)	Std. Pkg.
4	110	16
6	160	05

 BEND 45°		
Size (Inch)	Size (mm)	Std. Pkg.
4	110	48
6	160	12

 REDUCING TEE		
Size (Inch)	Size (mm)	Std. Pkg.
6x4	160x110	07

 REDUCING TEE DOOR		
Size (Inch)	Size (mm)	Std. Pkg.
6x4	160x110	06

 REDUCER		
Size (Inch)	Size (mm)	Std. Pkg.
6x4	160x110	27

PARAS®

PVC

PIPES & FITTINGS

PARAS® PVC PIPE

BEST
SOLUTION FOR
AGRICULTURAL
USE



uPVC AGRICULTURE PIPES IS : 4985

PIPES HSN CODE - 39172390

(6 Meter Pipe Price)

SIZE		2.5kg	4kg	6kg	10kg	Commercial Pipe Aqua	
(Inch)	(mm)					4kg	6kg
1/2	20	-	-	-	-	-	-
3/4	25	-	-	-	-	-	-
1	32	-	-	-	-	-	-
1 1/4	40	-	-	-	-	-	-
1 1/2	50	-	-	-	-	-	-
2	63	-	-	-	-	-	-
2 1/2	75	-	-	-	-	-	-
3	90	-	-	-	-	-	-
4	110	-	-	-	-	-	-
4 1/2	125	-	-	-	-	-	-
5	140	-	-	-	-	-	-
6	160	-	-	-	-	-	-
7	180	-	-	-	-	-	-
8	200	-	-	-	-	-	-

uPVC AGRICULTURE FITTINGS IS : 7834

FITTINGS HSN CODE - 39174000

 ELBOW 16kg/cm ²		
Size (Inch)	Size (mm)	Std. Pkg.
2	63	50
2 1/2	75	28
3	90	18

 ELBOW 6kg/cm ²		
Size (Inch)	Size (mm)	Std. Pkg.
1 1/4 (ISI)	40	150
1 1/2 (ISI)	50	100
2 (ISI)	63	110
2 1/2 (ISI)	75	65
3 (ISI)	90	38
4 (ISI)	110	28
5	140	16
6	160	11
7	180	06

 ELBOW 4kg/cm ²		
Size (Inch)	Size (mm)	Std. Pkg.
1/2	20	500
3/4	25	300
1	32	250
1 1/4	40	150
1 1/2	50	220
5	140	16
6	160	11
8	200	04

 ELBOW 10kg/cm ²		
Size (Inch)	Size (mm)	Std. Pkg.
1/2 (ISI)	20	500
3/4 (ISI)	25	300
1 (ISI)	32	250
1 1/4 (ISI)	40	150
1 1/2 (ISI)	50	100
2	63	50
2 1/2	75	30
4	110	12

 ELBOW 4kg/cm ² (ISI)		
Size (Inch)	Size (mm)	Std. Pkg.
2	63	105
2 1/2	75	70
3	90	42
4	110	30

 ELBOW (PN4)		
Size (Inch)	Size (mm)	Std. Pkg.
1 1/2	50	110
2	63	120
2 1/2	75	70
3	90	40
4	110	25

 ELBOW WITH DOOR		
Size (Inch)	Size (mm)	Std. Pkg.
6	160	09

 ELBOW (PN4) SOCKET TYPE		
Size (Inch)	Size (mm)	Std. Pkg.
2	63	125
2½	75	75
3	90	50
4	110	29

 ELBOW (PN4) DOOR SOCKET TYPE		
Size (Inch)	Size (mm)	Std. Pkg.
2	63	100

 ELBOW AQUA		
Size (Inch)	Size (mm)	Std. Pkg.
1¼	40	150
1½	50	190
2	63	200
2½	75	120
3	90	65
4	110	40

 ELBOW AQUA WITH DOOR		
Size (Inch)	Size (mm)	Std. Pkg.
1½	50	75
2	63	150
2½	75	80
3	90	55
4	110	30

 BEND 45°		
Size (Inch)	Size (mm)	Std. Pkg.
1¼	40	150
1½	50	180
2	63	90
2½	75	55
3	90	30
4	110	20
6	160	14

 TEE 16kg/cm²		
Size (Inch)	Size (mm)	Std. Pkg.
2	63	30
2½	75	20
3	90	10

 TEE 10kg/cm²		
Size (Inch)	Size (mm)	Std. Pkg.
½ (ISI)	20	500
¾ (ISI)	25	300
1 (ISI)	32	150
2	63	30
2½	75	20
4	110	10

 TEE 6kg/cm²		
Size (Inch)	Size (mm)	Std. Pkg.
1¼ (ISI)	40	100
1½ (ISI)	50	70
2 (ISI)	63	35
2½ (ISI)	75	48
3 (ISI)	90	15
4 (ISI)	110	18
5	140	12
6	160	05
7	180	04

 TEE 4kg/cm² (ISI)		
Size (Inch)	Size (mm)	Std. Pkg.
2	63	50
2½	75	45
3	90	27
4	110	18

 TEE 4kg/cm²		
Size (Inch)	Size (mm)	Std. Pkg.
½	20	500
¾	25	300
1	32	150
1¼	40	100
1½	50	75
5	140	12
6	160	05
8	200	03

 TEE (PN4)		
Size (Inch)	Size (mm)	Std. Pkg.
2	63	80
2½	75	45
3	90	30
4	110	18

 TEE (PN4) SOCKET TYPE		
Size (Inch)	Size (mm)	Std. Pkg.
2	63	80
2½	75	50
3	90	30
4	110	20

 TEE (PN4) DOOR SOCKET TYPE		
Size (Inch)	Size (mm)	Std. Pkg.
2	63	70

 TEE AQUA		
Size (Inch)	Size (mm)	Std. Pkg.
1½	50	100
2	63	120
2½	75	70
3	90	40
4	110	26

 TEE AQUA WITH DOOR		
Size (Inch)	Size (mm)	Std. Pkg.
1½	50	90
2	63	95
2½	75	55
3	90	35
4	110	24

 CROSS TEE		
Size (Inch)	Size (mm)	Std. Pkg.
2	63	30
2½	75	15

 MTA 10kg/cm²		
Size (Inch)	Size (mm)	Std. Pkg.
1/2	20	500
3/4	25	300
1	32	250
1 1/4	40	250
1 1/2	50	200

 FTA 10kg/cm²		
Size (Inch)	Size (mm)	Std. Pkg.
1/2	20	500
3/4	25	300
1	32	250
1 1/4	40	250
1 1/2	50	175

 RMTA		
Size (Inch)	Size (mm)	Std. Pkg.
3/4 x 1/2	25x20	300
1 x 1/2	32x20	250
2 1/2 x 2	75x63	105
3 x 2	90x63	60
3 x 2 1/2	90x75	60

 MTA HEAVY (HEX TYPE)		
Size (Inch)	Size (mm)	Std. Pkg.
2	63	110
2 1/2	75	75
3	90	60
4	110	20
5	140	24
6	160	18

 FTA HEAVY		
Size (Inch)	Size (mm)	Std. Pkg.
2	63	100
2 1/2	75	60
3	90	30
4	110	18
5	140	18
6	160	18

 RFTA		
Size (Inch)	Size (mm)	Std. Pkg.
3/4 x 1/2	25x20	300
1 x 1/2	32x20	250
1 x 3/4	32x25	250
1 1/2 x 1 1/4	50x40(10kg)	210
2 1/2 x 2	75x63	105
3 x 2	90x63	60
3 x 2 1/2	90x75	50
4 x 3	110x90	27

 MTA		
Size (Inch)	Size (mm)	Std. Pkg.
2	63	115
2 1/2	75	80
3	90	55
4	110	20

 FTA		
Size (Inch)	Size (mm)	Std. Pkg.
2	63	100
2 1/2	75	60
3	90	35
4	110	18

 END CAP THREADED		
Size (Inch)	Size (mm)	Std. Pkg.
1/2	20	500
3/4	25	300
1	32	250
1 1/4	40	250
1 1/2	50	150
2	63	200
2 1/2	75	170
3	90	90
4	110	45

 ONE SIDE THREADED ELBOW		
Size (Inch)	Size (mm)	Std. Pkg.
1/2 x 1/2	20x20	250
3/4 x 1/2	25x20	250
3/4 x 3/4	25x25	250
1 x 1	32x32	250
2	63	50
2 1/2	75	35
3	90	20

 ONE SIDE THREADED TEE		
Size (Inch)	Size (mm)	Std. Pkg.
1/2 x 1/2	20x20	250
3/4 x 1/2	25x20	250
3/4 x 3/4	25x25	250
1 x 1	32x32	150
2	63	35
2 1/2	75	20
3	90	15

 END CAP THREADED (WITH GASKET)		
Size (Inch)	Size (mm)	Std. Pkg.
1 1/4	40	250
1 1/2	50	150
2	63	200
2 1/2	75	170
3	90	90
4	110	45

 REDUCING THREADED ELBOW		
Size (Inch)	Size (mm)	Std. Pkg.
2 1/2 x 2	75x63	30
3 x 2 1/2	90x75	20

 REDUCING THREADED TEE		
Size (Inch)	Size (mm)	Std. Pkg.
2 1/2 x 2	75x63	25
3 x 2 1/2	90x75	15

 REDUCING ELBOW PLAIN		
Size (Inch)	Size (mm)	Std. Pkg.
3/4 x 1/2	25x20	300
4 x 3	110x90	15

 REVERSE TEE		
Size (Inch)	Size (mm)	Std. Pkg.
2 1/2 x 2	75x63	30

 REDUCING TEE (6kg)		
Size (Inch)	Size (mm)	Std. Pkg.
2x1½	63x20	70
2x¾	63x25	60
2x1	63x32	60
2x1¼	63x40	67
2x1½	63x50	45
2½x1½	75x20	40
2½x¾	75x25	40
2½x1	75x32	40
2½x1¼	75x40	30
2½x1½	75x50	35
2½x2	75x63	25
3x2	90x63	20
3x2½	90x75	15
4x2	110x63	12
4x2½	110x75	12
4x3	110x90	09

 REDUCING TEE		
Size (Inch)	Size (mm)	Std. Pkg.
¾x1½	25x20	300
1x1½	32x20	150
1x¾	32x25	150
1¼x1½	40x20	100
1½x¾	40x25	100
1¼x1	40x32	100
1½x1½	50x20	115
1½x¾	50x25	110
1½x1	50x32	100
1½x1¼	50x40	85
5x3	140x90	10
5x4	140x110	12
6x2½	160x75	07
6x3	160x90	07
6x4	160x110	07
6x5	160x140	06

 REDUCING TEE (LW)		
Size (Inch)	Size (mm)	Std. Pkg.
2½x2	75x63	35
3x2	90x63	25
3x2½	90x75	23
4x2	110x63	13
4x2½	110x75	13
4x3	110x90	13

 REDUCING CROSS TEE (6kg)		
Size (Inch)	Size (mm)	Std. Pkg.
2x1½	63x20	65
2x¾	63x25	55
2x1	63x32	50
2x1¼	63x40	45
2x1½	63x50	35
2½x1½	75x20	50
2½x¾	75x25	35
2½x1	75x32	35
2½x1¼	75x40	30
2½x1½	75x50	25

 REDUCING CROSS TEE		
Size (Inch)	Size (mm)	Std. Pkg.
1¼x1½	40x20	100
1¼x¾	40x25	100
1¼x1	40x32	100
1½x1½	50x20	100
1½x¾	50x25	95
1½x1	50x32	80
1½x1¼	50x40	75

 SERVICE SADDLE		
Size (Inch)	Size (mm)	Std. Pkg.
1¼x1½	40x20	30
1¼x¾	40x25	30
1½x1½	50x20	30
1½x¾	50x25	30
1½x1	50x32	30
2x1½	63x20	25
2x¾	63x25	25
2x1	63x32	25
2½x1½	75x20	25
2½x¾	75x25	25
2½x1	75x32	25
3x1½	90x20	25
3x¾	90x25	25
3x1	90x32	25
4x1½	110x20	25
4x¾	110x25	25
4x1	110x32	25
5x1½	140x20	20
5x¾	140x25	20
5x1	140x32	20
6x1½	160x20	20
6x¾	160x25	20
6x1	160x32	20

 REDUCER (10kg)		
Size (Inch)	Size (mm)	Std. Pkg.
¾x1½	25x20	300
1x1½	32x20	250
1x¾	32x25	250

 REDUCER		
Size (Inch)	Size (mm)	Std. Pkg.
1¼x1	40x32	250
1½x1	50x32	225
1½x1¼	50x40	200
2x1	63x32	125
2x1¼	63x40	125
2x1½	63x50	125
2½x1	75x32	80
2½x1¼	75x40	80
2½x1½	75x50	100
2½x2	75x63	85
3x2	90x63	70
3x2½	90x75	98
4x2	110x63	48
4x2½	110x75	48
4x3	110x90	48
4x4½	110x125	35
5x2½	140x75	54
5x3	140x90	36
5x4	140x110	54
6x2½	160x75	32
6x3	160x90	32
6x4	160x110	32
6x5	160x140	25
8x4	200x110	15
8x6	200x160	10

 TAIL PIECE 6kg		
Size (Inch)	Size (mm)	Std. Pkg.
2½	75	85
3	90	55
4	110	25
5	140	13
6	160	12

 TAIL PIECE 4kg		
Size (Inch)	Size (mm)	Std. Pkg.
2	63	150
2½	75	115
3	90	55
4	110	30

 REDUCING BUSH		
Size (Inch)	Size (mm)	Std. Pkg.
3/4 x 1/2	25x20	300
1 x 1/2	32x20	250
1 x 3/4	32x25	250
1 1/4 x 3/4	40x25	250
1 1/4 x 1	40x32	250
1 1/2 x 1	50x32	100
1 1/2 x 1 1/4	50x40	250
2 x 1	63x32	250
2 x 1 1/4	63x40	250
2 x 1 1/2	63x50	200
2 1/2 x 1 1/4	75x40	150
2 1/2 x 1 1/2	75x50	150
2 1/2 x 2	75x63	150
3 x 2	90x63	90
3 x 2 1/2	90x75	90
4 x 2	110x63	45
4 x 2 1/2	110x75	45
4 x 3	110x90	45

 SINGLE WYE (PN6)		
Size (Inch)	Size (mm)	Std. Pkg.
2 1/2	75	22
3	90	20
4	110	11

 COUPLER MOULDED 10kg/cm²		
Size (Inch)	Size (mm)	Std. Pkg.
1/2 (ISI)	20	500
3/4 (ISI)	25	300
1 (ISI)	32	250
1 1/4 (ISI)	40	200

 COUPLER MOULDED		
Size (Inch)	Size (mm)	Std. Pkg.
1 1/2	50	175
2	63	100
2 1/2	75	70
3	90	40
4	110	20
5	140	28
6	160	15

 COUPLER MOULDED (LW)		
Size (Inch)	Size (mm)	Std. Pkg.
2	63	150
2 1/2	75	90
3	90	110
4	110	60

 END CAP 10kg/cm²		
Size (Inch)	Size (mm)	Std. Pkg.
1/2 (ISI)	20	250
3/4 (ISI)	25	300
1 (ISI)	32	250

 END CAP (PLAIN)		
Size (Inch)	Size (mm)	Std. Pkg.
1 1/4	40	250
1 1/2	50	450
2	63	230
2 1/2	75	150
3	90	85
4	110	75
5	140	54
6	160	36
7	180	19
8	200	20

 END CAP PLAIN (WITHOUT COLLER)		
Size (Inch)	Size (mm)	Std. Pkg.
4	110	40
4 1/2	125	25

PVC SOLVENT CEMENT

HSN CODE - 35061000

 PVC SOLVENT CEMENT	
Size (ml/l(L))	Std. Pkg.
10ml (Tube)	240
25ml (Tube)	200
50ml (Tube)	90
100ml (Tube)	50
25ml (Bottles)	200
50ml (Bottles)	90
100ml (Bottles)	60
250ml (Bottles)	50
500ml (Bottles)	32
1 l/(L) (Bottles)	20
5 l/(L) (Bottles)	03

 PVC SOLVENT CEMENT TIN WITH BRUSH	
Size (ml)	Std. Pkg.
50ml	100
100ml	60
250ml	60
500ml	24
1 l/(L)	16

uPVC AGRICULTURE FABRICATED FITTINGS
FITTINGS HSN CODE - 39174000

 SHORT BEND 10kg (FABRICATED)		
Size (Inch)	Size (mm)	Std. Pkg.
½	20	350

 BEND 10kg (FABRICATED)		
Size (Inch)	Size (mm)	Std. Pkg.
½	20	350
¾	25	200
1	32	200

 BEND 6kg (FABRICATED)		
Size (Inch)	Size (mm)	Std. Pkg.
1¼	40	100
1½	50	60
2	63	45
2½	75	30
3	90	18
4	110	10
5	140	05
6	160	03
7	180	02

 BEND 4kg (FABRICATED)		
Size (Inch)	Size (mm)	Std. Pkg.
2	63	45
2½	75	30
3	90	18
4	110	10
5	140	05
6	160	03
7	180	02
8	200	02

 TAIL PIECE (6kg) FABRICATED		
Size (Inch)	Size (mm)	Std. Pkg.
2	63	120
2½	75	100
3	90	80
4	110	50

 SOCKET 10kg (FABRICATED)		
Size (Inch)	Size (mm)	Std. Pkg.
½	20	500
¾	25	500
1	32	300

 SOCKET 6kg (FABRICATED)		
Size (Inch)	Size (mm)	Std. Pkg.
1¼	40	200
1½	50	100
2	63	100
2½	75	60
3	90	40
4	110	35
5	140	15
6	160	12
7	180	09
8	200	06

 SOCKET 4kg (FABRICATED)		
Size (Inch)	Size (mm)	Std. Pkg.
2	63	100
2½	75	60
3	90	40
4	110	35
5	140	15
6	160	12
7	180	09
8	200	06

 REPAIRING SERVICE SADDLE (FABRICATED) LENGTH 6"		
Size (Inch)	Size (mm)	Std. Pkg.
2	63	75
2½	75	50
3	90	40
4	110	25
5	140	20
6	160	20

 QUICK FIX COUPLER (6kg) RUBBER RING		
Size (Inch)	Size (mm)	Std. Pkg.
2½	75	18
3	90	15
4	110	06
5	140	05
6	160	04

 QUICK FIX COUPLER (4kg) RUBBER RING		
Size (Inch)	Size (mm)	Std. Pkg.
2	63	24
2½	75	18
3	90	15
4	110	06
5	140	05
6	160	04

 QUICK FIX COUPLER (4kg) WITHOUT RUBBER RING		
Size (Inch)	Size (mm)	Std. Pkg.
2	63	24
2½	75	24
3	90	18
4	110	08
5	140	05
6	160	04

 REPAIRING SERVICE SADDLE (FABRICATED) LENGTH 12"		
Size (Inch)	Size (mm)	Std. Pkg.
2	63	40
2½	75	30
3	90	20
4	110	12
5	140	10
6	160	08



WATER STORAGE TANK

Blow Moulding Technology
HDPE Material Meet the requirement IS : 10146
IDEAL For Drinking Water

CAPACITY

100 I/(L) to 5000 I/(L)

Loft Tanks - 200 / 300 / 500 / 1000 I/(L)

COLOURS

Yellow | White | Blue | Golden Yellow

ADVANTAGES

- Safe for Drinking Water
- Adaptability
- Heat Resistance
- Cost Effective

**Roto Moulding
Water Tank**

Launching Soon



Strong



**Quality
Product**



**Easy
Installation**



FEATURES AND BENEFITS

- Triple Layer & Six Layer
- 100% Virgin Material
- Strong, Durable & Attractive Design
- Uniform Wall Thickness
- Plumber Friendly
- Two Sided Inlet & Outlet for Convenience.
- Double Layer Threaded Lid

WATER TANK - 100-300 I(L) - HSN CODE - 39259090

DIMENSIONS OF BLOW MOULDED WATER TANK IN INCHES

Size	Diameter	Height	Main Hole Dia
100 I/(L)	21"	22"	16"
200 I/(L)	21"	39"	16"
300 I/(L)	28"	34"	16"
500 I/(L)	32"	40"	16"
750 I/(L)	39"	45.5"	16"
1000 I/(L)	43"	50.5"	16"
1500 I/(L)	47"	57"	16"
2000 I/(L)	49"	70"	16"

DIMENSIONS OF ROTO MOULDED WATER TANK IN INCHES

Size	Diameter	Height	Main Hole Dia
3000 I/(L)	61"	68"	16"
5000 I/(L)	72"	79"	16"

DIMENSIONS OF LOFT TANK IN INCHES

Size	Length (In Inch)	Width (In Inch)	Hight (In Inch)	Main Hole Dia
200 I/(L)	41"	29.5"	11.5"	11.5"
300 I/(L)	47"	36"	12"	11.5"
500 I/(L)	60"	36"	16"	11.5"
1000 I/(L)	73"	45"	22"	11.5"

Tanks Available in 3 Layer / 6 Layer

WATER TANK - 500-5000 I(L) - HSN CODE - 39251000



**Specially
Designed
Double Layer
Threaded
Lid**



STRONG DURABLE.. ATTRACTIVE DESIGN..

PARAS **WATER TANKS** 31

COLUMN PIPES FOR SUBMERSIBLE PUMPS

STANDARDS & SPECIFICATIONS

Universal Standard

SIZES

1"(25mm), 1¼"(32mm), 1½"(40mm), 2"(50mm), 2½"(65mm), 3"(80mm), 4"(100mm)

Class : V4, ECO - MEDIUM, MEDIUM, MEDIUM PLUS, STANDARD, HEAVY, SUPER HEAVY

FEATURES AND BENEFITS

- Wire-lock System
- Bi Axial Oriented
- Water Tight Joints
- Unique Design
- High Tensile Strength
- Light in Weight
- No Rusting
- Longer Life

Size Type of Pipe	Sub-Mersible Pump Pipes Pressure Capacity (in kg/cm ²)						
	1" 25mm	1¼" 32mm	1½" 40mm	2" 50mm	2½" 65mm	3" 80mm	4" 100mm
V4-10kg	–	10kg	–	–	–	–	–
V4-12.5kg	12.5kg	12.5kg	12.5kg	–	–	–	–
V4-15kg	15kg	15kg	15kg	–	–	–	–
Eco Medium Duty	–	–	–	10kg	–	–	8kg
Medium Duty (Coupler Type)	20kg	18kg	17kg	18kg	10kg	11kg	10kg
Medium Plus Duty	–	–	–	22kg	–	–	–
Standard Duty (Coupler Type)	30kg	27kg	26kg	28kg	20kg	17kg	15kg
Heavy Duty (Coupler Type)	–	–	–	32kg	28kg	26kg	25kg
Super Heavy (Coupler Type)	–	–	–	35kg	–	–	–

Size Type of Pipe	Sub-Mersible Pump Pipes Chain Pully Lifting Capacity (in kgs)						
	1" 25mm	1¼" 32mm	1½" 40mm	2" 50mm	2½" 65mm	3" 80mm	4" 100mm
V4-10kg	–	500	–	–	–	–	–
V4-12.5kg	500	600	700	–	–	–	–
V4-15kg	700	1100	1250	–	–	–	–
Eco Medium Duty	–	–	–	1300	–	–	3800
Medium Duty (Coupler Type)	770	1200	1300	1500	1900	2750	4100
Medium Plus Duty	–	–	–	1800	–	–	–
Standard Duty (Coupler Type)	1300	1500	1700	2200	2700	4000	5700
Heavy Duty (Coupler Type)	–	–	–	2850	4200	5700	9500
Super Heavy (Coupler Type)	–	–	–	3500	–	–	–

ADVANTAGES

- Higher Izod-Impact strength even at low Temperature.
- Specially designed Buttress Threaded profile gives optimum Tensile Strength.
- No formation of Algae, fungal & Scaling.
- Anti - abrasion and Anti-corrosion gives long life.
- Smooth internal surface reduces energy consumption due to friction free water flow increasing the life of the pump.
- Light weight & easy for installation.
- PARAS uPVC Column pipes are most economical than GI Pipes & MS Pipes.
- 35% More Water than GI Pipes & MS Pipes.

AREAS OF APPLICATIONS

Water rising pipe for submersible pump & jet pumps for irrigation.



COLUMN PIPES - HSN CODE - 39172390

Screen Printing Colour													
Size (inch)	OD in MM	No. of Length in Bundle	Eco Range Orange Screen Coupler Type	Medium Duty Blue Screen Coupler Type	Medium Duty Plus Maroon Screen Coupler Type	Standard Duty Red Screen Coupler Type	Heavy Duty Green Screen Coupler Type	Super Heavy Off White Screen Coupler Type	V4-10kg/cm ² Black Screen Coupler Type	V4-12.5kg/cm ² Black Screen Bell Type	V4-12.5kg/cm ² Black Screen Coupler Type	V4-15kg/cm ² Black Screen Bell Type	V4-15kg/cm ² Black Screen Coupler Type
1	33	30	–	–	–	–	–	–	–	–	–	–	–
1¼	42	25	–	–	–	–	–	–	–	–	–	–	–
1½	48	20	–	–	–	–	–	–	–	–	–	–	–
2	60	15	–	–	–	–	–	–	–	–	–	–	–
2½	75	10	–	–	–	–	–	–	–	–	–	–	–
3	88	5	–	–	–	–	–	–	–	–	–	–	–
4	113	5	–	–	–	–	–	–	–	–	–	–	–

RAIN-FLOW ROOF RAIN WATER HARVESTING SYSTEM

PVC Compound Grade Equivalent to PVC 1120 / 2120

SIZES

Gutter Size - 180mm

DIMENSION

Available length - 3m, 5m, 6m.

FEATURES AND BENEFITS

- Long life
- High chemical corrosion resistance
- U.V. stabilized
- New concept metal toggle clamps
- Light in weight
- 100% Leak proof
- Easy to Install
- No maintenance



Easy
Installation



Leak
Proof



Corrosion &
Deposition
Free



STABILIZED



ROOF RAIN WATER HARVESTING PIPES

HSN CODE - 39172390

HALF ROUND PIPE		
Size (Inch)	Size (mm)	Length (m)
7	180	3m
7	180	5m
7	180	6m

ROOF RAIN WATER HARVESTING FITTINGS

HSN CODE - 39174000

COUPLER (WITH HIPS CLAMP & RUBBER RING)		
Size (Inch)	Size (mm)	Std. Pkg.
7	180	36

ELBOW 90° (WITH OUT OUTLET) WITH HIPS CLAMP & RUBBER RING		
Size (Inch)	Size (mm)	Std. Pkg.
7	180	24

ADJUSTABLE SIDE BRACKET (METAL)		
Size (Inch)	Size (mm)	Std. Pkg.
7	180	50

RUNNING OUTLET (WITH HIPS CLAMP & RUBBER RING)		
Size (Inch)	Size (mm)	Std. Pkg.
7	180	12

ELBOW 90° (WITH OUTLET 110mm) WITH HIPS CLAMP & RUBBER RING		
Size (Inch)	Size (mm)	Std. Pkg.
7	180	12

ADJUSTABLE TOP BRACKET (METAL)		
Size (Inch)	Size (mm)	Std. Pkg.
7	180	50

STOP END OUTLET (WITH HIPS CLAMP & RUBBER RING)		
Size (Inch)	Size (mm)	Std. Pkg.
7	180	15

SHORT STOP END CAP (WITH RUBBER RING)		
Size (Inch)	Size (mm)	Std. Pkg.
7	180	50

PIPE SUPPORT BRACKET		
Size (Inch)	Size (mm)	Std. Pkg.
7	180	70

PLASTIC SUPPORT BRACKET (SPARE)		
Size (Inch)	Size (mm)	Std. Pkg.
7	180	-

RUBBER GASKET (SPARE)		
Size (Inch)	Size (mm)	Std. Pkg.
7	180	50

PLASTIC CLAMP (SPARE)		
Size (Inch)	Size (mm)	Std. Pkg.
7	180	-

SOFT GARDEN TUBING PIPES

PARAS PVC soft garden tubing is a non-reinforced multipurpose low pressure tube which is available in transparent, translucent and opaque colour.

SIZES

½ to 1½ inch
12mm to 40mm

TYPE

- Transparent
- Milky
- Zebra
- 50-50
- Premium Foam

COLOUR

Yellow, Parrot Green, Pink
White, Orange, Mango, Blue



Transparent

Milky

Zebra

50/50

Premium Foam



GARDEN PIPES - HSN CODE - 39172390

Size (inch)	Size (mm)	Std (Pkg.)	Regular Rate (in Rs. per 30m Roll)	Heavy Rate (in Rs. per 30m Roll)	Premium Foam Rate (in Rs. per 30m Roll)	Aqua Foam Rate (in Rs. per 30m Roll)
½	12	10	-	-	-	-
¾	20	10	-	-	-	-
1	25	08	-	-	-	-
1¼	32	01	-	-	-	-
1½	40	01	-	-	-	-

LEVEL TUBE (30m Roll)

Size (inch)	Size (mm)	Std (Pkg.)	Rate (in Rs. per 30m Roll)
¼	06	50	-



PVC SUCTION PIPES - HSN CODE - 39172390

Size (Inch)	Size (mm)	Std (Pkg.)	Length (In.m)
¾	20	05	30
1	25	05	30
1¼	32	01	30
1½	40	01	30
2	50	01	30
2½	65	01	30
3	80	01	30
4	100	01	30

PARAS PVC SUCTION PIPES

PARAS PVC reinforced suction pipes are a challenge to the best of products in the industry. It has a rigid PVC spiral reinforcement between soft walls which makes it an ideal replacement to rubber pipes.

SIZE

¾" to 4" inches
20mm to 100mm

COLOURS

Green | Gray

FEATURES AND BENEFITS

- Strong
- Durable
- Flexible

AREAS OF APPLICATION

- Suction of Water

PVC BRAIDED & AIR PNEUMATIC PIPES

PARAS PVC braided pipes are produced using meticulously selected yarn, braided & fused between the inner & outer layers thus offering better resistance to withstand higher working pressures without the problem of bursting. A unique feature is its transparency which allows one to observe its internal functioning. It is resistant to several chemicals, alkalies, light acids & oils. It can withstand all climatic conditions thus proving a better choice than conventional rubber pipes. A wide range of PVC braided pipes are available for use in various fields.

SIZES

5mm to 50mm

FEATURES

- Strong
- Durable
- Flexible

COLOURS

- Green
- Orange
- Transparent
- Milky Yellow

APPLICATION

- Air / Pneumatic
- Rock Drilling
- Car Wash
- Super Spray
- Welding
- Garden
- Industrial



PVC BRAIDED PIPES - HSN CODE - 39172390

WATER / GARDEN PIPES (GREEN / ORANGE)

Size (mm)	Size (inch)	Std. Length (in m/Pkg)	W.P. (kg/cm ²)
12	1/2	30/50/100x10	6
20	3/4	30/50/100x10	6
25	1	30/50/100x08	5

PVC AIR PNEUMATIC PIPES (TRANSPARENT)

Size (mm)	Size (inch)	Std. Length (in m/Pkg)	W.P. (kg/cm ²)
5	3/16	100x1	24
6	1/4	100x1	24
7	9/32	100x1	20
8	5/16	100x1	20
10	3/8	100x1	18
12	1/2	100x1	16
15	5/8	100x1	13
20	3/4	100x1	13
25	1	100x1	12
31	1 1/4	30/50x1	10
40	1 1/2	30/50x1	09
50	2	30/50x1	08



HDPE PIPES

PARAS HDPE Pipe pressure pipe is made from high density polyethylene which is a crystalline resin or polymer known for its flexibility, toughness and chemical resistance. These features make HDPE pressure pipe well suited for those applications or industries requiring a pipe that is strong, durable, corrosion resistant and yet flexible enough to be assembled and installed in the most in accessible and harsh environments.

IS 4984 Specification for HDPE Pipe

MATERIAL

HDPE Material of Grade PE 63, PE 80, PE 100

SIZE

OD Pipe - ISI Mark

20mm to 315mm (½" to 12")

Class - PN 4 to PN 16 (4kg/cm² to 16kg/cm²)

ID Pipe

2", 2½" & 3"

50mm, 63mm & 75mm

Pressure Class - PN 4

LENGTH

100 m to 1000 m in Coils.

HDPE PIPES - HSN CODE - 39172110

CERTIFIED BY



IS 4984



CM/L - 7823887



PE ID PIPES

Size ID (mm)	Size (Inch)	Coil Length in Mtr.	Price per m - 4 kg (PN-4)
50	2	100/200	143.00
63	2½	100/200	213.00
75	3	100	323.00

PARAS HDPE OD PE-63 IS -4984:2016 PRESSURE KG/CM²

Size (mm)	Size (Inch)	Standard Coil Length in Mtr.	4kg/cm ² (PN-4)	6kg/cm ² (PN-6)	8kg/cm ² (PN-8)	10kg/cm ² (PN-10)	12.5kg/cm ² (PN-12.5)
20	½	500/1000	-	-	-	-	-
25	¾	500/1000	-	-	-	-	-
32	1	500/1000	-	-	-	-	-
40	1¼	500/1000	-	-	-	-	-
50	1½	500/1000	-	-	-	-	-
63	2	100/200	-	-	-	-	-
75	2½	100/200	-	-	-	-	-
90	3	100	-	-	-	-	-
110	4	100	-	-	-	-	-
125	4½	-	-	-	-	-	-
140	5	-	-	-	-	-	-
160	6	-	-	-	-	-	-
180	7	-	-	-	-	-	-
200	8	-	-	-	-	-	-
225	9	-	-	-	-	-	-
250	10	-	-	-	-	-	-
280	11	-	-	-	-	-	-
315	12	-	-	-	-	-	-

PARAS HDPE OD PE-80 IS -4984:2016 PRESSURE KG/CM²

Size (mm)	Size (Inch)	Standard Coil Length in Mtr.	4kg/cm ² (PN-4)	6kg/cm ² (PN-6)	8kg/cm ² (PN-8)	10kg/cm ² (PN-10)	12.5kg/cm ² (PN-12.5)	16kg/cm ² (PN-16)
20	½	500/1000	-	-	-	-	-	-
25	¾	500/1000	-	-	-	-	-	-
32	1	500/1000	-	-	-	-	-	-
40	1¼	500/1000	-	-	-	-	-	-
50	1½	500/1000	-	-	-	-	-	-
63	2	100/200	-	-	-	-	-	-
75	2½	100/200	-	-	-	-	-	-
90	3	100	-	-	-	-	-	-
110	4	100	-	-	-	-	-	-
125	4½	-	-	-	-	-	-	-
140	5	-	-	-	-	-	-	-
160	6	-	-	-	-	-	-	-
180	7	-	-	-	-	-	-	-
200	8	-	-	-	-	-	-	-
225	9	-	-	-	-	-	-	-
250	10	-	-	-	-	-	-	-
280	11	-	-	-	-	-	-	-
315	12	-	-	-	-	-	-	-

PARAS HDPE OD PE-100 IS -4984:2016 PRESSURE KG/CM²

Size (mm)	Size (Inch)	Standard Coil Length in Mtr.	4kg/cm ² (PN-4)	6kg/cm ² (PN-6)	8kg/cm ² (PN-8)	10kg/cm ² (PN-10)	12.5kg/cm ² (PN-12.5)	16kg/cm ² (PN-16)
20	½	500/1000	-	-	-	-	-	-
25	¾	500/1000	-	-	-	-	-	-
32	1	500/1000	-	-	-	-	-	-
40	1¼	500/1000	-	-	-	-	-	-
50	1½	500/1000	-	-	-	-	-	-
63	2	100/200	-	-	-	-	-	-
75	2½	100/200	-	-	-	-	-	-
90	3	100	-	-	-	-	-	-
110	4	100	-	-	-	-	-	-
125	4½	-	-	-	-	-	-	-
140	5	-	-	-	-	-	-	-
160	6	-	-	-	-	-	-	-
180	7	-	-	-	-	-	-	-
200	8	-	-	-	-	-	-	-
225	9	-	-	-	-	-	-	-
250	10	-	-	-	-	-	-	-
280	11	-	-	-	-	-	-	-
315	12	-	-	-	-	-	-	-

CONDUIT PIPES & FITTINGS

MATERIAL

Special Fire Extinguish HI-TECH Compound

SIZES

20mm to 25mm

CLASS

LMS - Light Mechanical Stress

MMS - Medium Mechanical Stress

HMS - Heavy Mechanical Stress

LENGTH

3 m

COLOUR

White & Black



IS:9537 (PT3)



CML - 7500095916
PIPES



IS:3419

CML - 7500149610
FITTINGS



CIDCO
WE MAKE CITIES



महाडा
MHADA



MAHA HOUSING
CORPORATION



RAIPUR
DEVELOPMENT
AUTHORITY

CONDUIT FITTINGS - IS 3419

HSN CODE - 39174000

ELBOW		
Size (mm)	ISI Std. Pkg.	NON ISI Std. Pkg.
20	500	500
25	500	500

TEE		
Size (mm)	ISI Std. Pkg.	NON ISI Std. Pkg.
20	400	400
25	400	400

COUPLER		
Size (mm)	ISI Std. Pkg.	NON ISI Std. Pkg.
20	900	900
25	900	900

BEND 90° (FABRICATED)		
Size (mm)	ISI Std. Pkg.	NON ISI Std. Pkg.
20	350	—
25	200	—
25	175	—

HSN CODE - 73181110

MS CONDUIT SCREW	
Size (mm)	Std. Pkg.
M4x1/2	500
M4x1	500
M4x1 1/4	500
M4x1 1/2	500
M4x2	500

JUNCTION BOX LID (WITH SCREW)		
Size (mm)	ISI Std. Pkg.	NON ISI Std. Pkg.
20	125	125
25	125	125

DEEP JUNCTION BOX 1 WAY WITH LID		
Size (mm)	ISI Std. Pkg.	NON ISI Std. Pkg.
20	80	80
25	80	80

DEEP JUNCTION BOX 2 WAY STRAIGHT WITH LID		
Size (mm)	ISI Std. Pkg.	NON ISI Std. Pkg.
20	80	80
25	80	80

DEEP JUNCTION BOX 2 WAY 90° WITH LID		
Size (mm)	ISI Std. Pkg.	NON ISI Std. Pkg.
20	80	80
25	80	80

DEEP JUNCTION BOX 3 WAY WITH LID		
Size (mm)	ISI Std. Pkg.	NON ISI Std. Pkg.
20	80	80
25	80	80

DEEP JUNCTION BOX 4 WAY WITH LID		
Size (mm)	ISI Std. Pkg.	NON ISI Std. Pkg.
20	80	80
25	80	80

CONDUIT PIPES - IS 9537

HSN CODE - 39172390

CONDUIT PIPE - LMS		
Size (mm)	20mm Std. Pkg.	25MM Std. Pkg.
	50	50

CONDUIT PIPE - MMS		
Size (mm)	20mm Std. Pkg.	25MM Std. Pkg.
	50	50

CONDUIT PIPE - HMS		
Size (mm)	20mm Std. Pkg.	25MM Std. Pkg.
	50	50

JUNCTION BOX 1 WAY WITH LID		
Size (mm)	ISI Std. Pkg.	NON ISI Std. Pkg.
20	150	150
25	150	160

JUNCTION BOX 2 WAY STRAIGHT WITH LID		
Size (mm)	ISI Std. Pkg.	NON ISI Std. Pkg.
20	150	150
25	150	120

JUNCTION BOX 2 WAY 90° WITH LID		
Size (mm)	ISI Std. Pkg.	NON ISI Std. Pkg.
20	150	150
25	150	120

JUNCTION BOX 3 WAY WITH LID		
Size (mm)	ISI Std. Pkg.	NON ISI Std. Pkg.
20	150	150
25	150	120

JUNCTION BOX 4 WAY WITH LID		
Size (mm)	ISI Std. Pkg.	NON ISI Std. Pkg.
20	150	150
25	150	100

P.T.M.T. BATH FITTING

Platina
SERIES

Colours Available

Blue+White

Yellow+Ivory



For Extra Strength
Using Special
design SS 304
INSERT



SIZE - 20MM





Wall Mixer
(Foam Flow)
M. Box - 38 pcs





Short Body with Flange (Foam Flow)
Packing - 20 pcs




Long Body with Flange (Foam Flow)
Packing - 17 pcs



Pillar Cock (Foam Flow)
Packing - 13 pcs



2 Way Bib Cock with Flange (Foam Flow)
Packing - 56 pcs



Angle Cock with Flange
Packing - 35 pcs



2 Way Angle Cock with Flange
Packing - 16 pcs



Pillar Sink Cock (Short) (Foam Flow)
Packing - 13 pcs



Wall Sink Cock (Short) with Flange (Foam Flow)
Packing - 13 pcs

Crysta
Series

Colours Available

Charcol + White

White + White

Health Faucet



Length	Packing
1 mtr.	10 pcs.
1.5 mtrs.	10 pcs.
2 mtrs.	10 pcs.




Short Body with Flange
Packing - 28 pcs



Long Body with Flange
Packing - 18 pcs



Machine Cock with Flange
Packing - 26 pcs




Angle Cock with Flange
Packing - 40 pcs



Garden Cock with Flange
Packing - 26 pcs




Pillar Cock
Packing - 16 pcs



2 Way Bib Cock with Flange
Packing - 12 pcs



2 Way Angle Cock with Flange
Packing - 17 pcs




Pillar Sink Cock (Short)
Packing - 12 pcs



Pillar Sink Cock (Long)
Packing - 9 pcs



Wall Sink Cock (Short) with Flange
Packing - 12 pcs



Wall Sink Cock (Long) with Flange
Packing - 9 pcs

Wall Mixer
M. Box - 38 pcs



Agriculture, Construction, Kitchenware, Bathware & Cleaning Products

A Legacy of Trust and Quality



100%
Virgin
Plastic

CPG
Certification Partner Global
ISO 9001
Lic No: QAC/R91/1158



Plastic Can, Crate, Bucket & Other Multiutility Products.
Exclusive Range of Brushes, Brooms, Mops, Wipers & Scrubbers.

Exclusive Range of Kitchenware & Bathware Products.

SMART LOGON KI SMART CHOICE

🛒 Shop : 🌐 www.parasmiracle.com | ✉ cpsales@parasgroup.com

Follow us on Paras Miracle

One Stop Solution Under One Roof



PARAS GROUP OF INDUSTRIES

Bothara Compound, Industrial Estate, Nagar-Pune Road,
Ahmednagar - 414005 (M.S.) India.

☎ +91 - 241 - 2551932 / 2551127 / 8806719666

✉ paras@parasgroup.com

🌐 www.parasgroup.com

Follow Us On :



Paras Group